

### Directions

Please circle a value for each question to provide us and the interested facilities with an assessment of your clinical experience. These values confirm your strengths within your specialty and assist the facility in the selection process of the healthcare professional.

Frequency		Experience	
1 Observed Only or Never Done		1 No Experience	
2 Rarely Done (<6 times/year)		2 Some Experience (Requires Assistance)	
3 Occasionally Done (1-2 times/month)		3 Experienced (Performs without Assistance)	
4 Frequently Done (daily or weekly)		4 Very Experienced (Performs Well)	

Print Name

SS#

Date

General Skills	Frequency				Experience			
Advanced directives	1	2	3	4	1	2	3	4
Patient/family teaching	1	2	3	4	1	2	3	4
Restrictive devices (restraints)	1	2	3	4	1	2	3	4
Lift/transfer devices	1	2	3	4	1	2	3	4
Specialty beds	1	2	3	4	1	2	3	4
End of life care/palliative care	1	2	3	4	1	2	3	4
Wound assessment & care	1	2	3	4	1	2	3	4
Automated medication dispensing	1	2	3	4	1	2	3	4
Bar coding for medication administration	1	2	3	4	1	2	3	4
Diabetic care and education	1	2	3	4	1	2	3	4
Blood Glucose Monitor (BGM)	1	2	3	4	1	2	3	4
Cardioversion/Defibrillation	1	2	3	4	1	2	3	4
<b>Computerized Charting</b>								
Cerner	1	2	3	4	1	2	3	4
Eclipsys	1	2	3	4	1	2	3	4
EPIC	1	2	3	4	1	2	3	4
McKesson	1	2	3	4	1	2	3	4
Meditech	1	2	3	4	1	2	3	4
<b>National Patient Safety Goals</b>								
Accurate patient identification	1	2	3	4	1	2	3	4
Effective communication	1	2	3	4	1	2	3	4
Interpretation & communication of lab values	1	2	3	4	1	2	3	4
Medication administration	1	2	3	4	1	2	3	4
Labeling (medications & specimens)	1	2	3	4	1	2	3	4
Anticoagulation therapy	1	2	3	4	1	2	3	4
Pain assessment & management	1	2	3	4	1	2	3	4
Infection control	1	2	3	4	1	2	3	4
Universal precautions	1	2	3	4	1	2	3	4
Isolation	1	2	3	4	1	2	3	4
Minimize risk for falls	1	2	3	4	1	2	3	4
Prevention of pressure ulcers	1	2	3	4	1	2	3	4
Use of Rapid Response teams	1	2	3	4	1	2	3	4

Frequency				Experience			
1 Observed Only or Never Done				1 No Experience			
2 Rarely Done (<6 times/year)				2 Some Experience (Requires Assistance)			
3 Occasionally Done (1-2 times/month)				3 Experienced (Performs without Assistance)			
4 Frequently Done (daily or weekly)				4 Very Experienced (Performs Well)			

Initials \_\_\_\_\_

Cardiovascular	Frequency				Experience			
	1	2	3	4	1	2	3	4
Assessment of heart sounds								
Interpretation of arrhythmias								
Performing 12 lead EKG's								
Interpretation of 12 lead EKG								
Interpretation of hemodynamic monitoring								
<b>Assist with Insertion &amp; Management of:</b>								
CVC (Central Venous Catheter)								
Arterial line								
Swanz Ganz catheter								
Intra-Aortic Balloon Pump (IABP)								
Ventricular Assist Device (LVAD, RVAD)								
<b>Maintenance &amp; Management of:</b>								
Permanent pacemakers								
Implantable Cardioverter Defibrillator (ICD)								
External pacemakers								
Epicardial pacemaker wires								
Discontinuing venous/arterial sheaths								
Femostop / vasoseal								
<b>Care of Patients with:</b>								
Acute Myocardial Infarction								
Pre/Post: cardiac catheterization								
Congestive heart failure								
Cardiomyopathy								
Dysrhythmias / conduction disturbances								
Aortic aneurysm								
Thoracic / abdominal surgery								
Endoluminal graft								
Cardiogenic shock								
Hypertensive crisis								
Pericarditis / endocarditis								
MAZE procedure								
Post open heart (CABG / valve)								
Cardiac contusion / trauma								
Heart transplant								
Cardiac tamponade								
<b>Medication Administration</b>								
ACLS medications and protocols								
Antidysrhythmics								
Antihypertensives								
Vasoactive / vasopressor agents								

Frequency				Experience			
1	Observed Only or Never Done	1	No Experience				
2	Rarely Done (<6 times/year)	2	Some Experience (Requires Assistance)				
3	Occasionally Done (1-2 times/month)	3	Experienced (Performs without Assistance)				
4	Frequently Done (daily or weekly)	4	Very Experienced (Performs Well)				

Initials \_\_\_\_\_

Cardiovascular - cont.	Frequency				Experience			
Anestheticss (propofol / presedex)	1	2	3	4	1	2	3	4
Thrombolytics (Retavase / activase)	1	2	3	4	1	2	3	4
Platelet inhibitors (reopro / integrillin / aggrastat)	1	2	3	4	1	2	3	4

Pulmonary	Frequency				Experience			
Assessment of breath sounds	1	2	3	4	1	2	3	4
Airway Management, Care & Maintenance of:								
Oral / NT / ET airway	1	2	3	4	1	2	3	4
Tracheostomy	1	2	3	4	1	2	3	4
Arterial blood gas analysis / Interpretation	1	2	3	4	1	2	3	4
Obtaining ABG blood sample / arterial line	1	2	3	4	1	2	3	4
Pulse oximetry	1	2	3	4	1	2	3	4
Ventilator Management								
BiPAP (Bi-level Positive Airway Pressure)	1	2	3	4	1	2	3	4
Oscillation / high-frequency ventilation	1	2	3	4	1	2	3	4
Interpretation of weaning parameters	1	2	3	4	1	2	3	4
Maintenance & management of pleural chest tubes	1	2	3	4	1	2	3	4
Care of Patient with:								
Acute respiratory failure	1	2	3	4	1	2	3	4
Adult Respiratory Distress Syndrome (ARDS)	1	2	3	4	1	2	3	4
Inhalation injuries	1	2	3	4	1	2	3	4
Pneumonia	1	2	3	4	1	2	3	4
Pulmonary edema	1	2	3	4	1	2	3	4
Near drowning	1	2	3	4	1	2	3	4
Chronic Obstructive Pulmonary Disease (COPD)	1	2	3	4	1	2	3	4
Pre/Post thoracic surgery	1	2	3	4	1	2	3	4
Pulmonary embolism	1	2	3	4	1	2	3	4
Pulmonary / chest trauma	1	2	3	4	1	2	3	4
Pulmonary hypertension	1	2	3	4	1	2	3	4
Status asthmaticus	1	2	3	4	1	2	3	4
Medication Administration								
Aminophylline	1	2	3	4	1	2	3	4
Nebulizer treatments: Ventolin, Atrovent	1	2	3	4	1	2	3	4
Rapid sequence intubation drugs / protocols	1	2	3	4	1	2	3	4

Neurology	Frequency				Experience			
Cranial nerve assessment	1	2	3	4	1	2	3	4
Glasgow coma scale	1	2	3	4	1	2	3	4
Seizure precautions	1	2	3	4	1	2	3	4
Skeletal traction	1	2	3	4	1	2	3	4
Cervical spine precautions / logroll positioning	1	2	3	4	1	2	3	4

Frequency				Experience			
1 Observed Only or Never Done				1 No Experience			
2 Rarely Done (<6 times/year)				2 Some Experience (Requires Assistance)			
3 Occasionally Done (1-2 times/month)				3 Experienced (Performs without Assistance)			
4 Frequently Done (daily or weekly)				4 Very Experienced (Performs Well)			

Initials \_\_\_\_\_

Neurology - cont.	Frequency				Experience			
Halo vest / halo traction	1	2	3	4	1	2	3	4
Monitoring of neuromuscular blocking agents / paralytics	1	2	3	4	1	2	3	4
Assist with lumbar puncture	1	2	3	4	1	2	3	4
<b>Intracranial/Cerebral Perfusion Pressure Monitoring (ICP/ CPP) via:</b>								
Ventriculostomy	1	2	3	4	1	2	3	4
Subarachnoid screw/bolt	1	2	3	4	1	2	3	4
<b>Care of Patients with:</b>								
Cerebral aneurysm	1	2	3	4	1	2	3	4
Subarachnoid hemorrhage	1	2	3	4	1	2	3	4
Status epilepticus	1	2	3	4	1	2	3	4
TBI (Traumatic Brain Injury)	1	2	3	4	1	2	3	4
Spinal cord injury	1	2	3	4	1	2	3	4
CerebroVascular Accident (CVA)	1	2	3	4	1	2	3	4
Pre/Post cranial surgery	1	2	3	4	1	2	3	4
Meningitis	1	2	3	4	1	2	3	4
Myasthenia Gravis	1	2	3	4	1	2	3	4
Pituitary Tumor	1	2	3	4	1	2	3	4
<b>Medication Administration</b>								
Steroids: Decadron, Solumedrol	1	2	3	4	1	2	3	4
Anticonvulsants: Dilantin, Phenobarbital	1	2	3	4	1	2	3	4
Paralytic Agents: Norcuron, Pavulon, Nimbex, Tracrium	1	2	3	4	1	2	3	4
Mannitol	1	2	3	4	1	2	3	4
Antipsychotics: Haldol	1	2	3	4	1	2	3	4

Trauma & Burns	Frequency				Experience			
Mass casualty	1	2	3	4	1	2	3	4
Electrocution	1	2	3	4	1	2	3	4
Amputation	1	2	3	4	1	2	3	4
Gangrene	1	2	3	4	1	2	3	4
Multiple fractures	1	2	3	4	1	2	3	4
Thermoregulation: Hypothermia/ hyperthermia	1	2	3	4	1	2	3	4
<b>Burns: Calculation of Total Body Surface Area (BSA)</b>								
Berdow Formula / "Rule of Nines"	1	2	3	4	1	2	3	4
Lund and Browder Chart	1	2	3	4	1	2	3	4
Fluid resuscitation	1	2	3	4	1	2	3	4
Care & management of burns	1	2	3	4	1	2	3	4

Gastrointestinal	Frequency				Experience			
Small bore feeding tube insertion (Dobhoff or Keofeed)	1	2	3	4	1	2	3	4
Nasogastric tube insertion	1	2	3	4	1	2	3	4
Gastric lavage	1	2	3	4	1	2	3	4

Frequency				Experience			
1	Observed Only or Never Done	1	No Experience				
2	Rarely Done (<6 times/year)	2	Some Experience (Requires Assistance)				
3	Occasionally Done (1-2 times/month)	3	Experienced (Performs without Assistance)				
4	Frequently Done (daily or weekly)	4	Very Experienced (Performs Well)				

Initials \_\_\_\_\_

<b>Gastrointestinal - cont.</b>	<b>Frequency</b>				<b>Experience</b>			
Use of activated charcoal	1	2	3	4	1	2	3	4
Maintenance of gastric / jejunostomy tube	1	2	3	4	1	2	3	4
Stoma care	1	2	3	4	1	2	3	4
Maintenance & Management of Enteral tube feedings	1	2	3	4	1	2	3	4
Assisting / Monitoring Bedside Endoscopy	1	2	3	4	1	2	3	4
<b>Care of Patients with:</b>								
Abdominal trauma	1	2	3	4	1	2	3	4
Acute gastrointestinal hemorrhage	1	2	3	4	1	2	3	4
Esophageal varices	1	2	3	4	1	2	3	4
Balloon tamponade devices (i.e. Blakemore tube)	1	2	3	4	1	2	3	4
Peritonitis	1	2	3	4	1	2	3	4
Acute pancreatitis	1	2	3	4	1	2	3	4
Bowel obstruction	1	2	3	4	1	2	3	4
Liver / pancreas transplant	1	2	3	4	1	2	3	4
<b>Medication Administration</b>								
Antiemetics: Reglan, Zofran	1	2	3	4	1	2	3	4
H2 receptor antagonists	1	2	3	4	1	2	3	4
<b>Renal</b>								
	<b>Frequency</b>				<b>Experience</b>			
Foley catheter insertion	1	2	3	4	1	2	3	4
Suprapubic tube	1	2	3	4	1	2	3	4
Nephrostomy tube	1	2	3	4	1	2	3	4
Peritoneal dialysis	1	2	3	4	1	2	3	4
Continuous Arteriovenous Hemofiltration (CAVHD, CVVHD, SCUF)	1	2	3	4	1	2	3	4
Hemodialysis of the critically ill patient	1	2	3	4	1	2	3	4
<b>Care of Patient with:</b>								
Acute renal failure	1	2	3	4	1	2	3	4
Chronic renal failure	1	2	3	4	1	2	3	4
AV fistulas, shunts & dialysis catheters	1	2	3	4	1	2	3	4
Nephrectomy	1	2	3	4	1	2	3	4
Renal transplant	1	2	3	4	1	2	3	4
Renal / urinary tract trauma	1	2	3	4	1	2	3	4
<b>Endocrine</b>								
	<b>Frequency</b>				<b>Experience</b>			
Diabetic Ketoacidosis (DKA)	1	2	3	4	1	2	3	4
Hyperosmolar Hyperglycemic Nonketotic Coma (HHNK)	1	2	3	4	1	2	3	4
Diabetes Insipidus (DI)	1	2	3	4	1	2	3	4
Syndrome of Inappropriate Antidiuretic Hormone (SIADH)	1	2	3	4	1	2	3	4
Administration & monitoring of insulin infusion	1	2	3	4	1	2	3	4
<b>Intravenous Management</b>								
	<b>Frequency</b>				<b>Experience</b>			
Starting Peripheral IV's	1	2	3	4	1	2	3	4
Care of Patient w/ Peripherally-Inserted Central Catheter (PICC)	1	2	3	4	1	2	3	4



Frequency				Experience			
1	Observed Only or Never Done	1	No Experience				
2	Rarely Done (<6 times/year)	2	Some Experience (Requires Assistance)				
3	Occasionally Done (1-2 times/month)	3	Experienced (Performs without Assistance)				
4	Frequently Done (daily or weekly)	4	Very Experienced (Performs Well)				

Initials \_\_\_\_\_

Intravenous Management - cont.	Frequency				Experience			
Administration / Monitoring of Total Parenteral Nutrition (TPN)	1	2	3	4	1	2	3	4
Administration of blood/blood products	1	2	3	4	1	2	3	4
Administration of Narcotics/Sedatives: (Fentanyl, Valium, Ativan, Versed, Morphine)	1	2	3	4	1	2	3	4
Bispectral Monitoring	1	2	3	4	1	2	3	4

Other	Frequency				Experience			
Drug or chemical overdose (TCA, Ethanol, ASA)	1	2	3	4	1	2	3	4
Poisoning (CO, cyanide)	1	2	3	4	1	2	3	4
Substance abuse (ETOH, Stimulants, Narcotics)	1	2	3	4	1	2	3	4
Human Immunodeficiency Virus (HIV)	1	2	3	4	1	2	3	4
Multisystem Organ Dysfunction Syndrome (MODS)	1	2	3	4	1	2	3	4
Anaphylaxis	1	2	3	4	1	2	3	4
Disseminated Intravascular Coagulation (DIC)	1	2	3	4	1	2	3	4
Septic shock	1	2	3	4	1	2	3	4
Cancer	1	2	3	4	1	2	3	4
Administration of chemotherapy	1	2	3	4	1	2	3	4
Monitoring of chemotherapy (does not initiate)	1	2	3	4	1	2	3	4
Hyperbaric oxygenation	1	2	3	4	1	2	3	4
Organ / tissue donation procedures	1	2	3	4	1	2	3	4
Suicide precautions	1	2	3	4	1	2	3	4

Age Specific Competencies	Frequency				Experience			
Adolescents (ages 12-17 years)	1	2	3	4	1	2	3	4
Young Adults (ages 18-39 years)	1	2	3	4	1	2	3	4
Adults (ages 40-64 years)	1	2	3	4	1	2	3	4
Older Adults (ages 65-79 years)	1	2	3	4	1	2	3	4
Elderly (ages 80+ years)	1	2	3	4	1	2	3	4

Please list any Additional Skills:	
1.	2.
3.	4.
Additional training:	
1.	2.
3.	4.
Additional equipment:	
1.	2.
3.	4.

Fax to: 1-888-298-3146

The information on this and all preceding pages is true and correct.

Signature \_\_\_\_\_

Date \_\_\_\_\_