

**Directions**

Please circle a value for each question to provide us and the interested facilities with an assessment of your clinical experience. These values confirm your strengths within your specialty and assist the facility in the selection process of the healthcare professional.

Frequency	Experience
1 Observed Only or Never Done	1 No Experience
2 Rarely Done (<6 times/year)	2 Some Experience (Requires Assistance)
3 Occasionally Done (1-2 times/month)	3 Experienced (Performs without Assistance)
4 Frequently Done (daily or weekly)	4 Very Experienced (Performs Well)

**Print Name**

**SS#**

**Date**

General Skills	Frequency				Experience			
Advanced directives	1	2	3	4	1	2	3	4
Patient / family teaching	1	2	3	4	1	2	3	4
Discharge planning	1	2	3	4	1	2	3	4
Lift / transfer devices	1	2	3	4	1	2	3	4
Specialty beds	1	2	3	4	1	2	3	4
Restrictive devices (restraints)	1	2	3	4	1	2	3	4
End of life care / palliative care	1	2	3	4	1	2	3	4
Wound assessment & care	1	2	3	4	1	2	3	4
Automated medication dispensing	1	2	3	4	1	2	3	4
Bar coding for medication administration	1	2	3	4	1	2	3	4
Coaching needs: physical / emotional / comfort	1	2	3	4	1	2	3	4
Assist with sterile speculum exam (effacement, dilation, station, presentation)	1	2	3	4	1	2	3	4
Performs sterile speculum exam independently	1	2	3	4	1	2	3	4
Use of doppler	1	2	3	4	1	2	3	4
<b>Computerized Charting</b>								
Eclipsys	1	2	3	4	1	2	3	4
Cerner	1	2	3	4	1	2	3	4
EPIC	1	2	3	4	1	2	3	4
McKesson	1	2	3	4	1	2	3	4
Meditech	1	2	3	4	1	2	3	4
Other	1	2	3	4	1	2	3	4
<b>National Patient Safety Goals</b>								
Accurate patient identification	1	2	3	4	1	2	3	4
Effective communication	1	2	3	4	1	2	3	4
Time out protocol	1	2	3	4	1	2	3	4
Interpretation & communication of lab values	1	2	3	4	1	2	3	4
Medication administration	1	2	3	4	1	2	3	4
Labeling (medications & specimens)	1	2	3	4	1	2	3	4
Medication reconciliation	1	2	3	4	1	2	3	4

Frequency		Experience	
1 Observed Only or Never Done		1 No Experience	
2 Rarely Done (<6 times/year)		2 Some Experience (Requires Assistance)	
3 Occasionally Done (1-2 times/month)		3 Experienced (Performs without Assistance)	
4 Frequently Done (daily or weekly)		4 Very Experienced (Performs Well)	

Initials \_\_\_\_\_

General Skills - cont.	Frequency				Experience			
Anticoagulation therapy	1	2	3	4	1	2	3	4
Moderate sedation	1	2	3	4	1	2	3	4
Pain assessment & management	1	2	3	4	1	2	3	4
Use of PCA (IV, intrathecal, epidural)	1	2	3	4	1	2	3	4
Infection control	1	2	3	4	1	2	3	4
Universal precautions	1	2	3	4	1	2	3	4
Isolation	1	2	3	4	1	2	3	4
Minimize risk for falls	1	2	3	4	1	2	3	4
Prevention of pressure ulcers	1	2	3	4	1	2	3	4

Cardiac Monitoring & Emergency Care	Frequency				Experience			
Preparation & administration of emergency drugs	1	2	3	4	1	2	3	4
Infant / neonatal arrest / NRP	1	2	3	4	1	2	3	4
Adult cardiac arrest / ACLS	1	2	3	4	1	2	3	4
Obtains 12 lead EKG	1	2	3	4	1	2	3	4
Interpretation of rhythm strips	1	2	3	4	1	2	3	4
Use of Rapid Response teams	1	2	3	4	1	2	3	4
Pulse oximetry	1	2	3	4	1	2	3	4
Interpretation of ABC's	1	2	3	4	1	2	3	4
O2 (NC / mask / oxyhood)	1	2	3	4	1	2	3	4
Assist with intubation	1	2	3	4	1	2	3	4
Suctioning	1	2	3	4	1	2	3	4

IV Therapy	Frequency				Experience			
Start & maintain peripheral IV	1	2	3	4	1	2	3	4
Start & maintain scalp veins	1	2	3	4	1	2	3	4
Maintain central lines (CVC / PICC)	1	2	3	4	1	2	3	4
Administration of blood & blood products	1	2	3	4	1	2	3	4
TPN / lipids	1	2	3	4	1	2	3	4
Use of infusion pumps / drips / IV monitoring	1	2	3	4	1	2	3	4

Patient Monitoring	Frequency				Experience			
Assist / monitor anesthesia	1	2	3	4	1	2	3	4
General anesthesia	1	2	3	4	1	2	3	4
Regional / spinal / epidural	1	2	3	4	1	2	3	4
Care of Patient with Pre-existing Problems:								
Cardiac disease	1	2	3	4	1	2	3	4
Neurological disease	1	2	3	4	1	2	3	4
Seizure disorder	1	2	3	4	1	2	3	4

Frequency		Experience	
1 Observed Only or Never Done		1 No Experience	
2 Rarely Done (<6 times/year)		2 Some Experience (Requires Assistance)	
3 Occasionally Done (1-2 times/month)		3 Experienced (Performs without Assistance)	
4 Frequently Done (daily or weekly)		4 Very Experienced (Performs Well)	

Initials \_\_\_\_\_

Patient Monitoring - cont.	Frequency				Experience			
Prior tubal ligation	1	2	3	4	1	2	3	4
Diabetes Mellitus	1	2	3	4	1	2	3	4
Infectious disease	1	2	3	4	1	2	3	4
Sickle cell disease	1	2	3	4	1	2	3	4
RH incompatibilities	1	2	3	4	1	2	3	4
HIV	1	2	3	4	1	2	3	4
Drug addiction / withdrawal	1	2	3	4	1	2	3	4

Antepartum Care & Procedures	Frequency				Experience			
Triage of obstetrical patients	1	2	3	4	1	2	3	4
NST (Non Stress Tests)	1	2	3	4	1	2	3	4
OCT (Oxytocin Challenge Tests)	1	2	3	4	1	2	3	4
Reflex checks / edema assessment / clonus	1	2	3	4	1	2	3	4
Assist with amniocentesis	1	2	3	4	1	2	3	4
<b>Care of Patient with:</b>								
Pregnancy induced hypertension	1	2	3	4	1	2	3	4
Pre-eclampsia / eclampsia	1	2	3	4	1	2	3	4
Preterm labor	1	2	3	4	1	2	3	4
VBAC management / trial of labor	1	2	3	4	1	2	3	4
Placenta previa	1	2	3	4	1	2	3	4
Abruptio placenta	1	2	3	4	1	2	3	4
Uterine rupture	1	2	3	4	1	2	3	4
Multiple gestation	1	2	3	4	1	2	3	4
Malpresentations (breech / face / brow)	1	2	3	4	1	2	3	4
<b>Medication &amp; Administration</b>								
Pitocin (oxytocin)	1	2	3	4	1	2	3	4
Prostaglandins	1	2	3	4	1	2	3	4
Ritodrine	1	2	3	4	1	2	3	4
Magnesium sulfate therapy	1	2	3	4	1	2	3	4
Insulin drips	1	2	3	4	1	2	3	4
Turbutaline	1	2	3	4	1	2	3	4

Labor Assessment & Procedures	Frequency				Experience			
Assess & document progression of labor	1	2	3	4	1	2	3	4
Abdominal / perineal prep	1	2	3	4	1	2	3	4
Assist with AROM procedure	1	2	3	4	1	2	3	4
Assess & document fetal status	1	2	3	4	1	2	3	4
Use of EFM (External Fetal Monitor)	1	2	3	4	1	2	3	4



Frequency				Experience			
1	Observed Only or Never Done	1	No Experience				
2	Rarely Done (<6 times/year)	2	Some Experience (Requires Assistance)				
3	Occasionally Done (1-2 times/month)	3	Experienced (Performs without Assistance)				
4	Frequently Done (daily or weekly)	4	Very Experienced (Performs Well)				

Initials \_\_\_\_\_

Labor Assessments & Procedures - cont.	Frequency				Experience			
Use of IFM (Internal Fetal Monitor)	1	2	3	4	1	2	3	4
Assist with IUPC placement & calibration	1	2	3	4	1	2	3	4
Amnioinfusion	1	2	3	4	1	2	3	4
Assist with vaginal delivery	1	2	3	4	1	2	3	4
Forceps / vacuum extraction	1	2	3	4	1	2	3	4
Shoulder dystocia	1	2	3	4	1	2	3	4
Emergency delivery	1	2	3	4	1	2	3	4
Hemorrhage / shock	1	2	3	4	1	2	3	4
Assist with high risk delivery	1	2	3	4	1	2	3	4
Circulate for c-section	1	2	3	4	1	2	3	4
Scrub for c-section	1	2	3	4	1	2	3	4
Assist with fetal scalp blood sampling	1	2	3	4	1	2	3	4
Fundal assessment / height	1	2	3	4	1	2	3	4

Immediate Care of Baby in Delivery Room	Frequency				Experience			
Newborn assessment / apgar scores	1	2	3	4	1	2	3	4
Routine neonatal medications	1	2	3	4	1	2	3	4
Meconium	1	2	3	4	1	2	3	4
Eye prophylaxis	1	2	3	4	1	2	3	4
Collect cord sample	1	2	3	4	1	2	3	4
Heelsticks	1	2	3	4	1	2	3	4
Radiant warmer / thermoregulation	1	2	3	4	1	2	3	4
ID / security banding	1	2	3	4	1	2	3	4

Postpartum Care	Frequency				Experience			
Fundus / lochia / perineum care	1	2	3	4	1	2	3	4
Episiotomy / incision care	1	2	3	4	1	2	3	4
Post-op c-section	1	2	3	4	1	2	3	4
Bladder assessment	1	2	3	4	1	2	3	4
Foley catheter insertion	1	2	3	4	1	2	3	4
Couplet care	1	2	3	4	1	2	3	4
Breast feeding instructions	1	2	3	4	1	2	3	4

Newborn Care General Skills	Frequency				Experience			
Neonatal level II / III (complete NNICU checklist)	1	2	3	4	1	2	3	4
Newborn nursery	1	2	3	4	1	2	3	4
Full body assessment	1	2	3	4	1	2	3	4
Assist with Insertion of & Maintenance of:								
UAC / UVC	1	2	3	4	1	2	3	4
Swanz Ganz	1	2	3	4	1	2	3	4
Obtain specimens from UAC / UVC	1	2	3	4	1	2	3	4

Frequency		Experience	
1 Observed Only or Never Done		1 No Experience	
2 Rarely Done (<6 times/year)		2 Some Experience (Requires Assistance)	
3 Occasionally Done (1-2 times/month)		3 Experienced (Performs without Assistance)	
4 Frequently Done (daily or weekly)		4 Very Experienced (Performs Well)	

Initials \_\_\_\_\_

<b>Newborn Care General Skills - cont.</b>	<b>Frequency</b>				<b>Experience</b>			
High Frequency Jet Ventilation (HFJV)	1	2	3	4	1	2	3	4
Extra Corporeal Membrane Oxygenation (ECMO)	1	2	3	4	1	2	3	4
Radiant Warmers	1	2	3	4	1	2	3	4
Apnea monitoring	1	2	3	4	1	2	3	4
Glasgow coma scale	1	2	3	4	1	2	3	4
Assist with lumbar puncture	1	2	3	4	1	2	3	4
Calculation of pedi dosage	1	2	3	4	1	2	3	4
Phototherapy	1	2	3	4	1	2	3	4
Cord & circumcision care	1	2	3	4	1	2	3	4
<b>Care of the Infant with:</b>								
Bowel obstruction	1	2	3	4	1	2	3	4
Broncho-pulmonary dysplasia	1	2	3	4	1	2	3	4
Drug addiction / withdrawal	1	2	3	4	1	2	3	4
CHF	1	2	3	4	1	2	3	4
Cystic fibrosis	1	2	3	4	1	2	3	4
Diabetes mellitus	1	2	3	4	1	2	3	4
HIV	1	2	3	4	1	2	3	4
Intracranial hemorrhage	1	2	3	4	1	2	3	4
Low birth weight infants	1	2	3	4	1	2	3	4
NEC	1	2	3	4	1	2	3	4
Neuromusclar disease	1	2	3	4	1	2	3	4
PDA ligation	1	2	3	4	1	2	3	4
Pneumonia	1	2	3	4	1	2	3	4
Pulmonary edema	1	2	3	4	1	2	3	4
RDS	1	2	3	4	1	2	3	4
Seizure activity	1	2	3	4	1	2	3	4
Sickle cell disease	1	2	3	4	1	2	3	4
Spina bifida	1	2	3	4	1	2	3	4
Systemic infection	1	2	3	4	1	2	3	4
Tetralogy of fallot	1	2	3	4	1	2	3	4
Tracheoesophogeal fistula	1	2	3	4	1	2	3	4
Transposition of great vessels	1	2	3	4	1	2	3	4



Frequency		Experience	
1 Observed Only or Never Done		1 No Experience	
2 Rarely Done (<6 times/year)		2 Some Experience (Requires Assistance)	
3 Occasionally Done (1-2 times/month)		3 Experienced (Performs without Assistance)	
4 Frequently Done (daily or weekly)		4 Very Experienced (Performs Well)	

Initials \_\_\_\_\_

Age Specific Competencies	Frequency				Experience			
Newborn / neonate (Birth-30 days)	1	2	3	4	1	2	3	4
Infant (31 days-1 year)	1	2	3	4	1	2	3	4
Toddler (2-3 years)	1	2	3	4	1	2	3	4
Preschool (ages 4-5 years)	1	2	3	4	1	2	3	4
School Age (ages 6-12 years)	1	2	3	4	1	2	3	4
Adolescents (ages 13-21 years)	1	2	3	4	1	2	3	4
Young Adult (ages 22-39 years)	1	2	3	4	1	2	3	4
Adults (ages 40-64 years)	1	2	3	4	1	2	3	4
Older Adult (ages 65-79 years)	1	2	3	4	1	2	3	4
Elderly (80+ years)	1	2	3	4	1	2	3	4

Please list any Additional Skills:	
1.	2.
3.	4.
Additional training:	
1.	2.
3.	4.
Additional equipment:	
1.	2.
3.	4.

Fax to: 1-888-298-3146

The information on this and all preceding pages is true and correct.

Signature

Date