

**Directions**

Please circle a value for each question to provide us and the interested facilities with an assessment of your clinical experience. These values confirm your strengths within your specialty and assist the facility in the selection process of the healthcare professional.

Frequency	Experience
1 Observed Only or Never Done	1 No Experience
2 Rarely Done (<6 times/year)	2 Some Experience (Requires Assistance)
3 Occasionally Done (1-2 times/month)	3 Experienced (Performs without Assistance)
4 Frequently Done (daily or weekly)	4 Very Experienced (Performs Well)

Print Name

SS#

Date

General Skills	Frequency				Experience			
Advanced directives	1	2	3	4	1	2	3	4
Patient/family teaching	1	2	3	4	1	2	3	4
Restrictive devices (restraints)	1	2	3	4	1	2	3	4
Lift/transfer devices	1	2	3	4	1	2	3	4
Specialty beds	1	2	3	4	1	2	3	4
End of life care/palliative care	1	2	3	4	1	2	3	4
Automated medication dispensing	1	2	3	4	1	2	3	4
Bar coding for medication administration	1	2	3	4	1	2	3	4
Triage	1	2	3	4	1	2	3	4
Organ donor protocols	1	2	3	4	1	2	3	4
Consent for treatment of a minor	1	2	3	4	1	2	3	4
Procedure for a patient signing out AMA	1	2	3	4	1	2	3	4
Knowledge of cobra criteria/transfer patients	1	2	3	4	1	2	3	4
Disaster protocols	1	2	3	4	1	2	3	4
<b>Computerized Charting</b>								
Cerner	1	2	3	4	1	2	3	4
EPIC	1	2	3	4	1	2	3	4
McKesson	1	2	3	4	1	2	3	4
Meditech	1	2	3	4	1	2	3	4
Other	1	2	3	4	1	2	3	4
<b>National Patient Safety Goals</b>								
Accurate patient identification	1	2	3	4	1	2	3	4
Effective communication	1	2	3	4	1	2	3	4
Interpretation & communication of lab values	1	2	3	4	1	2	3	4
Medication administration	1	2	3	4	1	2	3	4
Labeling	1	2	3	4	1	2	3	4
Anticoagulation therapy	1	2	3	4	1	2	3	4
Reconciliation	1	2	3	4	1	2	3	4
Moderate sedation	1	2	3	4	1	2	3	4
Pain assessment & management	1	2	3	4	1	2	3	4



Initials \_\_\_\_\_

Frequency	Experience
1 Observed Only or Never Done	1 No Experience
2 Rarely Done (<6 times/year)	2 Some Experience (Requires Assistance)
3 Occasionally Done (1-2 times/month)	3 Experienced (Performs without Assistance)
4 Frequently Done (daily or weekly)	4 Very Experienced (Performs Well)

General Skills - cont.	Frequency				Experience			
Use of PCA (IV, Intrathecal, Epidural)	1	2	3	4	1	2	3	4
Infection control	1	2	3	4	1	2	3	4
Universal precautions	1	2	3	4	1	2	3	4
Isolation	1	2	3	4	1	2	3	4
Minimize risk for falls	1	2	3	4	1	2	3	4
Prevention of pressure ulcers	1	2	3	4	1	2	3	4
Wound care	1	2	3	4	1	2	3	4
Suture tray set up	1	2	3	4	1	2	3	4
<b>Cardiac Monitoring &amp; Emergency Care</b>								
Obtains 12 lead EKG	1	2	3	4	1	2	3	4
Interpretation of rhythm strips	1	2	3	4	1	2	3	4
Treatment of dysrhythmias	1	2	3	4	1	2	3	4
Use of rapid response teams	1	2	3	4	1	2	3	4
Cardiac arrest/CPR	1	2	3	4	1	2	3	4
O2 therapy & delivery	1	2	3	4	1	2	3	4
Pulse oximetry	1	2	3	4	1	2	3	4
Use of doppler	1	2	3	4	1	2	3	4
<b>IV Therapy</b>								
Starting & maintaining peripheral IVs	1	2	3	4	1	2	3	4
Blood draw: venous	1	2	3	4	1	2	3	4
Central line care	1	2	3	4	1	2	3	4
Blood draw: central line	1	2	3	4	1	2	3	4
Care & management of Ports	1	2	3	4	1	2	3	4
Care & management of PICC/Groshong/Hickman	1	2	3	4	1	2	3	4
TPN & Lipids	1	2	3	4	1	2	3	4
Administration of blood/blood products	1	2	3	4	1	2	3	4
Administration of chemotherapy	1	2	3	4	1	2	3	4
Monitoring chemotherapy (does not initiate)	1	2	3	4	1	2	3	4
<b>Other</b>								
Diabetes Mellitus	1	2	3	4	1	2	3	4
Blood Glucose Monitoring (BGM)	1	2	3	4	1	2	3	4
Insulin administration	1	2	3	4	1	2	3	4

Trauma	Frequency				Experience			
Trauma score	1	2	3	4	1	2	3	4
Critical transports	1	2	3	4	1	2	3	4
Air transport (Helicopter or Jet)	1	2	3	4	1	2	3	4
Other transport experience	1	2	3	4	1	2	3	4



Initials \_\_\_\_\_

Frequency	Experience
1 Observed Only or Never Done	1 No Experience
2 Rarely Done (<6 times/year)	2 Some Experience (Requires Assistance)
3 Occasionally Done (1-2 times/month)	3 Experienced (Performs without Assistance)
4 Frequently Done (daily or weekly)	4 Very Experienced (Performs Well)

Trauma - cont.	Frequency				Experience			
Level 1 Trauma	1	2	3	4	1	2	3	4
Level 2 Trauma	1	2	3	4	1	2	3	4
Level 1 Infuser	1	2	3	4	1	2	3	4
Open chest massage	1	2	3	4	1	2	3	4
Peritoneal lavage	1	2	3	4	1	2	3	4
Hypovolemic shock	1	2	3	4	1	2	3	4
H+H/Stat lab test machine	1	2	3	4	1	2	3	4
AutoTransfuser	1	2	3	4	1	2	3	4

Burns	Frequency				Experience			
First Degree	1	2	3	4	1	2	3	4
Second Degree	1	2	3	4	1	2	3	4
Third Degree	1	2	3	4	1	2	3	4
Electrocution	1	2	3	4	1	2	3	4
Hazardous material exposure/contamination	1	2	3	4	1	2	3	4
Calculation of total Body Surface Area (BSA)	1	2	3	4	1	2	3	4

Respiratory	Frequency				Experience			
Pulmonary edema	1	2	3	4	1	2	3	4
C.O.P.D.	1	2	3	4	1	2	3	4
Pulmonary emboli	1	2	3	4	1	2	3	4
Near drowning	1	2	3	4	1	2	3	4
Asthma	1	2	3	4	1	2	3	4
Nebulizer	1	2	3	4	1	2	3	4
Pneumonia	1	2	3	4	1	2	3	4
ABG Interpretation	1	2	3	4	1	2	3	4

Vascular Access	Frequency				Experience			
Assist with intraosseous needle insertion	1	2	3	4	1	2	3	4
Assisting with a cut-down	1	2	3	4	1	2	3	4
Assist with central line insertion	1	2	3	4	1	2	3	4
Assist with arterial line insertion	1	2	3	4	1	2	3	4

Cardiovascular	Frequency				Experience			
Acute MI	1	2	3	4	1	2	3	4
Unstable angina	1	2	3	4	1	2	3	4
Aneurysm (Thoracic or Abdominal)	1	2	3	4	1	2	3	4



Initials \_\_\_\_\_

Frequency	Experience
1 Observed Only or Never Done	1 No Experience
2 Rarely Done (<6 times/year)	2 Some Experience (Requires Assistance)
3 Occasionally Done (1-2 times/month)	3 Experienced (Performs without Assistance)
4 Frequently Done (daily or weekly)	4 Very Experienced (Performs Well)

Cardiovascular - cont.	Frequency				Experience			
CHF	1	2	3	4	1	2	3	4
Cardioversion	1	2	3	4	1	2	3	4
Defibrillation	1	2	3	4	1	2	3	4
Assist with insertion of a temporary pacemaker	1	2	3	4	1	2	3	4
Application of an external pacemaker	1	2	3	4	1	2	3	4
Cardiogenic shock	1	2	3	4	1	2	3	4

Neurological	Frequency				Experience			
Neuro assessment/monitoring	1	2	3	4	1	2	3	4
Use of Glasgow Coma Scale	1	2	3	4	1	2	3	4
Traumatic Brain Injury (TBI)	1	2	3	4	1	2	3	4
Acute T.I.A./C.V.A.	1	2	3	4	1	2	3	4
Acute spinal injury	1	2	3	4	1	2	3	4
Migraine headache	1	2	3	4	1	2	3	4
Seizure precautions/status epilepticus	1	2	3	4	1	2	3	4
Assist with lumbar puncture	1	2	3	4	1	2	3	4
Transport of a patient with spinal cord injuries/cervical spine precautions	1	2	3	4	1	2	3	4
Observing for increased intracranial pressure	1	2	3	4	1	2	3	4

Gastrointestinal	Frequency				Experience			
Care of Patient with:								
GI bleed	1	2	3	4	1	2	3	4
Abdominal pain	1	2	3	4	1	2	3	4
NGT Insertion	1	2	3	4	1	2	3	4
G-tube	1	2	3	4	1	2	3	4
J-tube	1	2	3	4	1	2	3	4
Bowel obstruction	1	2	3	4	1	2	3	4
Acute pancreatitis	1	2	3	4	1	2	3	4
Testicular torsion	1	2	3	4	1	2	3	4

Obstetrics/Gynecology	Frequency				Experience			
Assist with pelvic exams/obtaining cultures	1	2	3	4	1	2	3	4
Spontaneous abortion/hemorrhage	1	2	3	4	1	2	3	4
Ectopic pregnancy	1	2	3	4	1	2	3	4
Emergency delivery	1	2	3	4	1	2	3	4
Placenta previa	1	2	3	4	1	2	3	4
Preeclampsia/eclampsia	1	2	3	4	1	2	3	4
Doppler FHT (Fetal Heart Tones)	1	2	3	4	1	2	3	4



Initials \_\_\_\_\_

Frequency		Experience	
1 Observed Only or Never Done		1 No Experience	
2 Rarely Done (<6 times/year)		2 Some Experience (Requires Assistance)	
3 Occasionally Done (1-2 times/month)		3 Experienced (Performs without Assistance)	
4 Frequently Done (daily or weekly)		4 Very Experienced (Performs Well)	

Pediatrics	Frequency				Experience			
Pediatric arrest/resuscitation	1	2	3	4	1	2	3	4
Use of Broslow Resuscitation System	1	2	3	4	1	2	3	4
Overdose/poison ingestion	1	2	3	4	1	2	3	4
Child abuse	1	2	3	4	1	2	3	4
Sepsis management	1	2	3	4	1	2	3	4
Sickle cell anemia	1	2	3	4	1	2	3	4
Pediatric assessment/VS	1	2	3	4	1	2	3	4

Renal	Frequency				Experience			
Acute renal failure	1	2	3	4	1	2	3	4
Chronic renal failure	1	2	3	4	1	2	3	4
Peritoneal dialysis	1	2	3	4	1	2	3	4
Fluid management/electrolyte replacement	1	2	3	4	1	2	3	4
Renal calculi	1	2	3	4	1	2	3	4

Orthopedics	Frequency				Experience			
Set up for cast application	1	2	3	4	1	2	3	4
Set up for OCL Splinting	1	2	3	4	1	2	3	4
Assist with closed fracture/dislocation reductions	1	2	3	4	1	2	3	4
Instruction of application of orthopedic appliances	1	2	3	4	1	2	3	4
Assess extremity vascular circulation	1	2	3	4	1	2	3	4

Psychiatric	Frequency				Experience			
Drug/ETOH withdrawal	1	2	3	4	1	2	3	4
Care of overdose patient/gastric lavage	1	2	3	4	1	2	3	4
Care of a suicidal patient	1	2	3	4	1	2	3	4
Crisis intervention/management & assaultive behavior	1	2	3	4	1	2	3	4
Sexual assault	1	2	3	4	1	2	3	4
Rape kit	1	2	3	4	1	2	3	4
Reporting procedures for acts of violence	1	2	3	4	1	2	3	4

Environment	Frequency				Experience			
Hypothermia	1	2	3	4	1	2	3	4
Heat stroke/exhaustion	1	2	3	4	1	2	3	4
Human/animal bite	1	2	3	4	1	2	3	4
Snake bite	1	2	3	4	1	2	3	4
Anaphylaxis	1	2	3	4	1	2	3	4



Initials \_\_\_\_\_

Frequency		Experience	
1 Observed Only or Never Done		1 No Experience	
2 Rarely Done (<6 times/year)		2 Some Experience (Requires Assistance)	
3 Occasionally Done (1-2 times/month)		3 Experienced (Performs without Assistance)	
4 Frequently Done (daily or weekly)		4 Very Experienced (Performs Well)	

EENT Disorders	Frequency				Experience			
Set up for fluorescein/Woods Lamp	1	2	3	4	1	2	3	4
Use of Morgan Lens/eye irrigation	1	2	3	4	1	2	3	4
Ear irrigations/FB Removal	1	2	3	4	1	2	3	4
Assist with nasal packing	1	2	3	4	1	2	3	4
Visual acuity	1	2	3	4	1	2	3	4
Epiglottitis	1	2	3	4	1	2	3	4
Removal of nasal FB	1	2	3	4	1	2	3	4

Emergency Medications	Frequency				Experience			
Emergency ACLS medication prepare & administer	1	2	3	4	1	2	3	4
Tridil/Nitroglycerin	1	2	3	4	1	2	3	4
Sodium bicarb	1	2	3	4	1	2	3	4
Heparin	1	2	3	4	1	2	3	4
Dilantin	1	2	3	4	1	2	3	4
Narcan	1	2	3	4	1	2	3	4
Decadron	1	2	3	4	1	2	3	4
Mannitol	1	2	3	4	1	2	3	4
Solu-medrol	1	2	3	4	1	2	3	4
Phenobarbital	1	2	3	4	1	2	3	4
Fibrinolytics/IIb IIIa Inhibitor	1	2	3	4	1	2	3	4
Nipride	1	2	3	4	1	2	3	4
Inotropics (i.e. Digoxin, Dopamine, Epinephrine)	1	2	3	4	1	2	3	4
Rapid sequence intubation protocol & meds	1	2	3	4	1	2	3	4
Romazicon	1	2	3	4	1	2	3	4

Age Specific Competencies	Frequency				Experience			
Newborn (birth to 30 days)	1	2	3	4	1	2	3	4
Infant (30 days to 1 year)	1	2	3	4	1	2	3	4
Toddler (ages 1-3 years)	1	2	3	4	1	2	3	4
Preschooler (ages 3-5 years)	1	2	3	4	1	2	3	4
Childhood (ages 6-12 years)	1	2	3	4	1	2	3	4
Adolescents (ages 12-21 years)	1	2	3	4	1	2	3	4
Young Adults (ages 21-39 years)	1	2	3	4	1	2	3	4
Adults (ages 40-64 years)	1	2	3	4	1	2	3	4
Older Adults (ages 65-79 years)	1	2	3	4	1	2	3	4
Elderly (ages 80+ years)	1	2	3	4	1	2	3	4



Frequency	Experience
1 Observed Only or Never Done	1 No Experience
2 Rarely Done (<6 times/year)	2 Some Experience (Requires Assistance)
3 Occasionally Done (1-2 times/month)	3 Experienced (Performs without Assistance)
4 Frequently Done (daily or weekly)	4 Very Experienced (Performs Well)

Initials \_\_\_\_\_

Please list any Additional Skills:	
1.	2.
3.	4.
Additional training:	
1.	2.
3.	4.
Additional equipment:	
1.	2.
3.	4.

Fax to: 1-888-298-3146

The information on this and all preceding pages is true and correct.	
<p style="text-align: center;">Signature</p>	<p style="text-align: center;">Date</p>