

**Directions**

Please circle a value for each question to provide us and the interested facilities with an assessment of your clinical experience. These values confirm your strengths within your specialty and assist the facility in the selection process of the healthcare professional.

Frequency		Experience	
1 Observed Only or Never Done		1 No Experience	
2 Rarely Done (<6 times/year)		2 Some Experience (Requires Assistance)	
3 Occasionally Done (1-2 times/month)		3 Experienced (Performs without Assistance)	
4 Frequently Done (daily or weekly)		4 Very Experienced (Performs Well)	

**Print Name** \_\_\_\_\_ **SS#** \_\_\_\_\_ **Date** \_\_\_\_\_

General Skills	Frequency				Experience			
Family teaching	1	2	3	4	1	2	3	4
Assessment of normal growth & development	1	2	3	4	1	2	3	4
Recognize / report signs of child abuse / neglect	1	2	3	4	1	2	3	4
Consents	1	2	3	4	1	2	3	4
Specialty beds	1	2	3	4	1	2	3	4
Restrictive devices (restraints)	1	2	3	4	1	2	3	4
End of life care / palliative care	1	2	3	4	1	2	3	4
Wound assessment & care	1	2	3	4	1	2	3	4
Automated medication dispensing	1	2	3	4	1	2	3	4
Bar coding for medication administration	1	2	3	4	1	2	3	4
Diabetic care & education	1	2	3	4	1	2	3	4
Blood Glucose Monitoring (BGM)	1	2	3	4	1	2	3	4
Insulin administration	1	2	3	4	1	2	3	4
<b>Computerized Charting</b>								
Eclipsys	1	2	3	4	1	2	3	4
Cerner	1	2	3	4	1	2	3	4
EPIC	1	2	3	4	1	2	3	4
McKesson	1	2	3	4	1	2	3	4
Meditech	1	2	3	4	1	2	3	4
<b>National Patient Safety Goals</b>								
Accurate patient identification	1	2	3	4	1	2	3	4
Effective communication	1	2	3	4	1	2	3	4
Interpretation & communication of lab values	1	2	3	4	1	2	3	4
Medication administration	1	2	3	4	1	2	3	4
Pediatric dosage calculations	1	2	3	4	1	2	3	4
Delivery methods: eye / ear / IM / IV / SQ	1	2	3	4	1	2	3	4
Medication reconciliation	1	2	3	4	1	2	3	4
Labeling (medications & specimens)	1	2	3	4	1	2	3	4
Anticoagulation therapy	1	2	3	4	1	2	3	4
Pain assessment & management	1	2	3	4	1	2	3	4



Initials \_\_\_\_\_

Frequency	Experience
1 Observed Only or Never Done	1 No Experience
2 Rarely Done (<6 times/year)	2 Some Experience (Requires Assistance)
3 Occasionally Done (1-2 times/month)	3 Experienced (Performs without Assistance)
4 Frequently Done (daily or weekly)	4 Very Experienced (Performs Well)

General Skills - cont.	Frequency				Experience			
Steroids (inhaled / IV / PO)	1	2	3	4	1	2	3	4
Moderate sedation	1	2	3	4	1	2	3	4
Infection control	1	2	3	4	1	2	3	4
Universal precautions	1	2	3	4	1	2	3	4
Isolation	1	2	3	4	1	2	3	4
Minimize risk falls	1	2	3	4	1	2	3	4
Prevention of pressure ulcers	1	2	3	4	1	2	3	4

IV Therapy	Frequency				Experience			
Starting & maintaining peripheral IVs	1	2	3	4	1	2	3	4
Blood draw: venous	1	2	3	4	1	2	3	4
Central line care (includes PICC / Groshong / Hickman)	1	2	3	4	1	2	3	4
Blood draw: central line	1	2	3	4	1	2	3	4
Care & management of ports	1	2	3	4	1	2	3	4
Care & management of nonvascular devices (epidural, intrathecal)	1	2	3	4	1	2	3	4
TRN & Lipids	1	2	3	4	1	2	3	4
Administration of blood & blood products	1	2	3	4	1	2	3	4
Infusion pumps	1	2	3	4	1	2	3	4

Cardiovascular	Frequency				Experience			
Pediatric CV assessment	1	2	3	4	1	2	3	4
<b>Assist with Insertion &amp; Management of:</b>								
Arterial line	1	2	3	4	1	2	3	4
CVC (central venous catheter)	1	2	3	4	1	2	3	4
Swanz-ganz	1	2	3	4	1	2	3	4
Hemodynamic monitoring	1	2	3	4	1	2	3	4
Extra Corporeal Membrane Oxygenation (ECMO)	1	2	3	4	1	2	3	4
Use of doppler	1	2	3	4	1	2	3	4
<b>Cardiac Monitoring &amp; Emergency Care</b>								
Administration of PALS protocols & medications	1	2	3	4	1	2	3	4
Broslow system	1	2	3	4	1	2	3	4
Interpretation & treatment of dysrhythmias	1	2	3	4	1	2	3	4
Use of rapid response teams	1	2	3	4	1	2	3	4
<b>Care of Child with:</b>								
Bacterial endocarditis	1	2	3	4	1	2	3	4
DIC	1	2	3	4	1	2	3	4
Post cardiac cath	1	2	3	4	1	2	3	4
Cardiac transplant	1	2	3	4	1	2	3	4
Cardiogenic shock	1	2	3	4	1	2	3	4
Cardiomyopathy	1	2	3	4	1	2	3	4



Initials \_\_\_\_\_

Frequency		Experience	
1 Observed Only or Never Done		1 No Experience	
2 Rarely Done (<6 times/year)		2 Some Experience (Requires Assistance)	
3 Occasionally Done (1-2 times/month)		3 Experienced (Performs without Assistance)	
4 Frequently Done (daily or weekly)		4 Very Experienced (Performs Well)	

Cardiovascular - cont.	Frequency				Experience			
Congenital heart disease / defects	1	2	3	4	1	2	3	4
Hypovolemic shock	1	2	3	4	1	2	3	4
Myocarditis / pericarditis	1	2	3	4	1	2	3	4
Permanent pacemaker	1	2	3	4	1	2	3	4
Temporary pacemaker	1	2	3	4	1	2	3	4
<b>Medications</b>								
Antidysrhythmics	1	2	3	4	1	2	3	4
Antihypertensives	1	2	3	4	1	2	3	4
Cardiac glycoside (digoxin)	1	2	3	4	1	2	3	4
Platelet inhibitors (aggrastat / integrillin / reopro)	1	2	3	4	1	2	3	4
Vasoactive agents	1	2	3	4	1	2	3	4

Pulmonary	Frequency				Experience			
Respiratory Assessment (rate & work of breathing)	1	2	3	4	1	2	3	4
<b>Equipment / Procedures:</b>								
Metered dose inhaler	1	2	3	4	1	2	3	4
Assist with & manage intubation	1	2	3	4	1	2	3	4
Tracheostomy care	1	2	3	4	1	2	3	4
Assist with & maintain chest tube	1	2	3	4	1	2	3	4
Obtain & interpret Arterial blood gas	1	2	3	4	1	2	3	4
O2 therapy (NC / oxyhood / tent)	1	2	3	4	1	2	3	4
Thoracentesis	1	2	3	4	1	2	3	4
Ventilator management	1	2	3	4	1	2	3	4
Use of paralytics	1	2	3	4	1	2	3	4
<b>Care of Child with:</b>								
Acute Respiratory Distress Syndrome (ARDS)	1	2	3	4	1	2	3	4
Respiratory Syncytial Virus (RSV)	1	2	3	4	1	2	3	4
Chronic respiratory disease	1	2	3	4	1	2	3	4
Croup	1	2	3	4	1	2	3	4
Epiglottitis	1	2	3	4	1	2	3	4
Reactive Airway Disease (RAD)	1	2	3	4	1	2	3	4
Status asthmaticus	1	2	3	4	1	2	3	4
Pulmonary Hypertension	1	2	3	4	1	2	3	4
Pneumonia	1	2	3	4	1	2	3	4
Near drowning	1	2	3	4	1	2	3	4
<b>Medications</b>								
Bronchodilators	1	2	3	4	1	2	3	4
Racemic epinephrine	1	2	3	4	1	2	3	4



Initials \_\_\_\_\_

Frequency	Experience
1 Observed Only or Never Done	1 No Experience
2 Rarely Done (<6 times/year)	2 Some Experience (Requires Assistance)
3 Occasionally Done (1-2 times/month)	3 Experienced (Performs without Assistance)
4 Frequently Done (daily or weekly)	4 Very Experienced (Performs Well)

Neurological	Frequency				Experience			
Neuro assessment	1	2	3	4	1	2	3	4
Glasgow Coma Scale	1	2	3	4	1	2	3	4
<b>Procedures:</b>								
Assisting with LP	1	2	3	4	1	2	3	4
Intracranial Pressure (ICP) insertion & monitoring	1	2	3	4	1	2	3	4
<b>Care of Child with:</b>								
Muscular degenerative diseases	1	2	3	4	1	2	3	4
Meningitis	1	2	3	4	1	2	3	4
Coma	1	2	3	4	1	2	3	4
Brain death / organ procurement	1	2	3	4	1	2	3	4
Encephalitis / encephalopathy	1	2	3	4	1	2	3	4
External ventricular drains	1	2	3	4	1	2	3	4
VP shunts / reservoirs	1	2	3	4	1	2	3	4
TBI (Traumatic Brain Injury)	1	2	3	4	1	2	3	4
Status epilepticus	1	2	3	4	1	2	3	4
Spinal cord injury	1	2	3	4	1	2	3	4
Post neuro-surgery	1	2	3	4	1	2	3	4
<b>Medications</b>								
Anticonvulsants	1	2	3	4	1	2	3	4
Mannitol	1	2	3	4	1	2	3	4
Psychostimulants (ritalin / adderall)	1	2	3	4	1	2	3	4

Orthopedics	Frequency				Experience			
Orthopedic assessment	1	2	3	4	1	2	3	4
<b>Care of Child with:</b>								
Traction	1	2	3	4	1	2	3	4
Cervical traction	1	2	3	4	1	2	3	4
Pinned fractures	1	2	3	4	1	2	3	4
Post vertebral surgery	1	2	3	4	1	2	3	4

Gastrointestinal	Frequency				Experience			
GI assessment	1	2	3	4	1	2	3	4
Nutritional assessment	1	2	3	4	1	2	3	4
<b>Equipment / Procedures</b>								
Abdominal decompression (NG, sump tubes, intermittent & continuous suction)	1	2	3	4	1	2	3	4
Colostomy / Ileostomy	1	2	3	4	1	2	3	4
Placement of feeding tubes (NG)	1	2	3	4	1	2	3	4
G-tube / J-tube	1	2	3	4	1	2	3	4



Initials \_\_\_\_\_

Frequency	Experience
1 Observed Only or Never Done	1 No Experience
2 Rarely Done (<6 times/year)	2 Some Experience (Requires Assistance)
3 Occasionally Done (1-2 times/month)	3 Experienced (Performs without Assistance)
4 Frequently Done (daily or weekly)	4 Very Experienced (Performs Well)

Gastrointestinal - cont.	Frequency				Experience			
<b>Feedings</b>								
Assist with breastfeeding	1	2	3	4	1	2	3	4
Breastmilk handling & storage	1	2	3	4	1	2	3	4
Bottle	1	2	3	4	1	2	3	4
Gavage	1	2	3	4	1	2	3	4
Use of feeding pumps	1	2	3	4	1	2	3	4
<b>Care of Child with:</b>								
Abdominal trauma; bleeding	1	2	3	4	1	2	3	4
Ascites	1	2	3	4	1	2	3	4
Surgical abdomen	1	2	3	4	1	2	3	4
Severe dehydration / gastroenteritis	1	2	3	4	1	2	3	4
Hepatic failure	1	2	3	4	1	2	3	4
Hepatitis	1	2	3	4	1	2	3	4
Hyperbilirubinemia	1	2	3	4	1	2	3	4
Necrotizing Enterocolitis (NEC)	1	2	3	4	1	2	3	4
Ruptured spleen	1	2	3	4	1	2	3	4
GI bleeding	1	2	3	4	1	2	3	4
GI organ transplants	1	2	3	4	1	2	3	4

Renal / Genitourinary	Frequency				Experience			
Assessment of fluid balance	1	2	3	4	1	2	3	4
<b>Equipment / Procedures</b>								
Assist with suprapubic taps	1	2	3	4	1	2	3	4
Insertion & care of foley catheter	1	2	3	4	1	2	3	4
<b>Care of Child with:</b>								
Acute renal failure	1	2	3	4	1	2	3	4
Hemodialysis	1	2	3	4	1	2	3	4
Peritoneal dialysis	1	2	3	4	1	2	3	4
Hemolytic Uremic Syndrome (HUS)	1	2	3	4	1	2	3	4
Post renal transplant	1	2	3	4	1	2	3	4
Nephritis	1	2	3	4	1	2	3	4
Ileal conduit	1	2	3	4	1	2	3	4

Skin Care	Frequency				Experience			
Skin assessment	1	2	3	4	1	2	3	4
Surgical wound healing	1	2	3	4	1	2	3	4
<b>Care of Child with:</b>								
Burns	1	2	3	4	1	2	3	4
Traumatic wounds	1	2	3	4	1	2	3	4
Vacuum Assisted Device (VAC)	1	2	3	4	1	2	3	4



Initials \_\_\_\_\_

Frequency	Experience
1 Observed Only or Never Done	1 No Experience
2 Rarely Done (<6 times/year)	2 Some Experience (Requires Assistance)
3 Occasionally Done (1-2 times/month)	3 Experienced (Performs without Assistance)
4 Frequently Done (daily or weekly)	4 Very Experienced (Performs Well)

Oncology	Frequency				Experience			
Administration of chemotherapy	1	2	3	4	1	2	3	4
Monitoring of chemotherapy (does not initiate)	1	2	3	4	1	2	3	4
Assist with bone marrow aspiration	1	2	3	4	1	2	3	4
<b>Care of Child with:</b>								
Acute anemia	1	2	3	4	1	2	3	4
Acute tumor lysis syndrome	1	2	3	4	1	2	3	4
Bone marrow transplant	1	2	3	4	1	2	3	4
Leukemia	1	2	3	4	1	2	3	4
Malignant tumors	1	2	3	4	1	2	3	4
Neutropenia	1	2	3	4	1	2	3	4
Radiation implant	1	2	3	4	1	2	3	4
Sickle cell anemia	1	2	3	4	1	2	3	4
Hemophilia	1	2	3	4	1	2	3	4
Graft verses host disease	1	2	3	4	1	2	3	4
Inpatient hospice	1	2	3	4	1	2	3	4

Autoimmune Diseases	Frequency				Experience			
Addison's disease	1	2	3	4	1	2	3	4
Cushing's disease	1	2	3	4	1	2	3	4
Celiac disease / gluten intolerance	1	2	3	4	1	2	3	4
Grave's disease	1	2	3	4	1	2	3	4
Hypothyroidism	1	2	3	4	1	2	3	4
Lupus	1	2	3	4	1	2	3	4

Infectious Diseases	Frequency				Experience			
Usual child diseases (mumps / measles / chicken pox)	1	2	3	4	1	2	3	4
CMV / HIV / AIDS	1	2	3	4	1	2	3	4
Tuberculosis	1	2	3	4	1	2	3	4
Septic shock	1	2	3	4	1	2	3	4
Fever management	1	2	3	4	1	2	3	4
<b>Medication / Administration</b>								
Antiinfectives	1	2	3	4	1	2	3	4

Miscellaneous	Frequency				Experience			
<b>Care of Child with:</b>								
Trauma	1	2	3	4	1	2	3	4
Craniofacial reconstruction	1	2	3	4	1	2	3	4
ENT surgery	1	2	3	4	1	2	3	4
Ingestions / overdose	1	2	3	4	1	2	3	4
Suicidal ideation / attempts	1	2	3	4	1	2	3	4



Frequency	Experience
1 Observed Only or Never Done	1 No Experience
2 Rarely Done (<6 times/year)	2 Some Experience (Requires Assistance)
3 Occasionally Done (1-2 times/month)	3 Experienced (Performs without Assistance)
4 Frequently Done (daily or weekly)	4 Very Experienced (Performs Well)

Initials \_\_\_\_\_

Age Specific Competencies	Frequency				Experience			
Newborn / neonate (Birth-30 days)	1	2	3	4	1	2	3	4
Infant (31 days-1 year)	1	2	3	4	1	2	3	4
Toddler (2-3 years)	1	2	3	4	1	2	3	4
Preschool (ages 4-5 years)	1	2	3	4	1	2	3	4
School Age (ages 6-12 years)	1	2	3	4	1	2	3	4
Adolescents (ages 13-21 years)	1	2	3	4	1	2	3	4
Young Adult (ages 22-39 years)	1	2	3	4	1	2	3	4
Adults (ages 40-64 years)	1	2	3	4	1	2	3	4
Older Adult (ages 65-79 years)	1	2	3	4	1	2	3	4
Elderly (80+ years)	1	2	3	4	1	2	3	4

Please list any Additional Skills:	
1.	2.
3.	4.
Additional training:	
1.	2.
3.	4.
Additional equipment:	
1.	2.
3.	4.

Fax to: 1-888-298-3146

The information on this and all preceding pages is true and correct.

Signature

Date